| POPULATION ESTIMATES | ; | LONG-TERM CARE | | LOCAL HEALTH DEPAR | TMENTS |
|--|-------------------------|--|------------------------|--|-------------------------|
| Total 2004 Population 21,190 Population per square mile 24 | | Community Options and MA Wai as HSRS reports costs for se | rvices | Staffing - FTE Numbe | 10,000 |
| County ranking in state (1 | -72) 58 | Clients COP 0 MA Waiver * | Costs \$13,023 | Total staff 20. Administrative 2. Public health nurses 9. Other prof. staff 1. Technical/Paraprof. 3. Support staff 5. | 0 9.4 0 0.9 0 4.2 |
| Age Female Male 0-14 1,750 1,920 15-19 730 790 | Total 3,670 1,510 | MA Waiver * CIP1A 4 | \$272,760 | Other prof. staff 1. Technical/Paraprof. 3. | 0 0.5 0 1.4 |
| Age Female Male 0-14 1,750 1,920 15-19 730 790 20-24 550 570 25-29 480 500 30-34 570 550 | 1,510 1,110 980 | CIP1B 01 \$1 CIP2 24 COP-W 118 | \$214,732 \$712,503 | Funding 5. | |
| 35-39 640 680 | 1,130 1,320 | MA Waiver * CIP1A | \$0 \$47,472 | Funding Total \$719,11 Local Taxes \$381,84 | 4 \$33.88 3 \$17.99 |
| 1 45-54 1 540 1 640 | 1,690 3,190 2,550 | \$304,897 of the above wai | I | LIOLNOLD LOTABLION | |
| 65-74 1,010 950 75-84 800 650 | 1,970 1,440 | were páid as local match/ov using COP funds. This amou not included in above COP o | rermatch Int is | Type Capacit Bed & Breakfast 1 Camps 56 Hotels, Motels 43 Tourist Rooming 4 | y Facilities 1 5 |
| 85+ 410 210 Total 10,630 10,560 | 620 21,190 | * Waiver costs reported her | ·e | Hotels, Motels 43 Tourist Rooming 4 | 0 25 2 14 |
| Age Female Male 0-17 2,190 2,410 18-44 3,380 3,440 | Total 4,590 | include federal funding. Clients | | Restaurants | 5 140 2 |
| 45-64 2,830 2,900 65+ 2,220 1,810 | 6,820 5,740 4,030 | Eligible and Waiting 2 | n/a | Vending | 2 |
| Total 10,630 10,560 Poverty Estimates for 2000 | 21,190 | (Family Care not provided in | | WIC PARTICIPANT | S |
| Fstimate (C | 138 | Note: Eligible and waiting of | lients | Pregnant/Postpartum | |
| All ages 2,096 10.1% Ages 0-17 670 13.3% | (7%) 63 (9%) | will be phased into the CC Waivers as available. | P and MA | Infants Children, age 1-4 Total | 256 361 859 |
| EMPLOYMENT Average wage for jobs covered | | Home Health Agencies | 1 | CANCER INCIDENCE (Primary Site | 2003) |
| by unemployment compensation (place of work) | \$24,803 | Patients Patients per 10,000 pop. | 00- | Breast Cervical | 20 |
| Labor Force Estimates | • | Nursing Homes Licensed beds | 1 168 | Colorectal Lung and Bronchus Prostate | 11 27 19 |
| Civilian Labor Force Number employed Number unemployed Unemployment rate | 11,057 10,344 | Occupancy rate Residents on Dec.31 | 94.6% 157 | Other sites Total | 71 148 |
| Unemployment rate | 6.4% | per 1,000 population | 36 | Note: Totals shown are for invasive cancers only | |

| | | | NATA | LITY | | | | |
|---|---|---|--|--|--|--|-----------------------------|-----------------------------|
| TOTAL LIVE BIRTHS | | 216 | | Births | Percent | Marital Status | | |
| | | | First | 80 | 37 | of Mother | Births | Percent |
| Crude Live Birth Rate | <u> </u> | 10.2 | Second | 74 | 34 | Married | 142 | 66 |
| General Fertility Rat | | 56.6 | Third | 40 | 19 | Not married | 74 | 34 |
| deficial fercific has | CC | 50.0 | Fourth or higher | | 10 | Unknown | , <u>,</u> | 0 |
| Live binthe with none | antad | | Unknown | 0 | 0 | OTIKITOWIT | U | U |
| Live births with repo congenital anomalies | Jirceu | 0 4 40 | UTKTOWIT | U | U | | | |
| congenital anomalies | | 3 1.4% | | | | Education | B : | . |
| | | _ | | | _ | of Mother | Births | Percent |
| Delivery Type | Births | Percent | 1st Prenatal Visit | | | Elementary or les | | 1 |
| Vaginal after | | | 1st trimester | 183 | 85 | Some high school | | 14 |
| previous cesarean | 2 | 1 | 2nd trimester | 27 | 13 | High school | 86 | 40 |
| Forceps | () | () | 2nd trimester 3rd trimester | 5 | 2 | Some college | 62 | 29 |
| Other vaginal | 162 | 75 | No visits | 0 | 0 | College gräduate | 33 | 15 |
| Other vaginal Primary cesarean | 30 | 14 | Unknown | 5 0 1 | <.5 | Unknown | 2 | 1 |
| Repeat cesarean | 22 | 10 | | • | | | _ | · |
| opour ocour cui | | 10 | Prenatal Visits | Rinthe | Percent | Smoking Status | | |
| Birthweight | Rinthe | Percent | No visits | 0 | 0 | of Mother | Births | Percent |
| ∠1 500 am | DTI (119 | 0.0 | 1-4 | 2 | 1 | Smoker | 57 | 26 |
| <1,500 gm | 0 10 206 0 | 0.0 | | | | | | |
| 1,500-2,499 gm 2,500+ gm | 10 | 4.6 | 5-9 | 41 | 19 | Nonsmoker | | 73 |
| 2,500+ gm | 206 | 95.4 | 10-12 | 110 | 51 | Unknown | 1 | <.5 |
| Unknown | 0 | 0 | 13+ | 63 | 29 | | | |
| | | | Unknown | 0 | 0 | | | |
| | | | Low Birthweight | | Tnimoct | er of First Prenata | 1 Vioi+ | |
| | | | Low Birthweight | 10+ To | TUTILIEST | er of First Prenata. | | I lalea aura |
| Doos/Ethnisity | Dintha D | | (under 2,500 gm) Births Percent | ISU III | Tilles rei. | 2nd Trimester | Other/ | Unknown |
| Race/Ethnicity | BTL FUS 1 | ercent | Births Percent | BILTUS | Percent | Births Percent | BTL/US | Percent |
| White | 207 | 96 | 10 4.6 | 160 | 87 | 21 10 | 6 | 3 |
| White Black/Afr.American American Indian | 1 | <.5 | * . | * | • | * | * | • |
| American Indian | 5 | 2 | | 2 | 40 | 3 60 | | • |
| Hispanic/Latino | 2 | 1 0 | * • | * | | * . | * | |
| Laotian/Hmong | 0 | Λ | | | | | | |
| Other/Unknown | 0 | U | | | | | | |
| | 1 | <.5 | * | * | | * | * | |
| | | <.5 | * : | * | · · | * | * | |
| | 1 | <.5 | Low Birthweight | | Trimest | * er of First Prenata | | · · |
| | 1 F€ | <.5 ertility | (under 2.500 am) | 1st Tr | imester | 2nd Trimester | Other/ | Unknown |
| Age of Mother | 1 F€ | <.5 | * . Low Birthweight (under 2,500 gm) Births Percent | 1st Tr | imester | * er of First Prenata 2nd Trimester Births Percent | Other/ | Unknown Percent |
| | 1 F€ | <.5 ertility Rate | (under 2.500 am) | 1st Tr Births | imester | 2nd Trimester Births Percent | Other/ | |
| Age of Mother | 1 Fe Births | <.5 ertility Rate | (under 2,500 gm) Births Percent | 1st Tr | imester | 2nd Trimester | Other/ | |
| Age of Mother | 1 Fe Births 0 | <.5 ertility Rate | (under 2.500 am) | 1st Tr Births | imester | 2nd Trimester Births Percent | Other/ | Percent |
| Age of Mother <15 15-17 18-19 | Fe Births O 1 | <.5 ertility Rate 2 78 | (under 2,500 gm) Births Percent | 1st Tr Births ; | imester Percent | 2nd Trimester Births Percent 3 13 | Other/ Births : 1 | Percent : 4 |
| Age of Mother <15 15-17 18-19 20-24 | Fe Births 0 1 23 64 | <.5 Prtility Rate 2 78 117 | (under 2,500 gm) Births Percent 1 4.3 2 3.1 | 1st Tr Births 19 | imester Percent 83 86 | 2nd Trimester Births Percent 3 13 7 11 | Other/ Births 1 2 | Percent 4 3 |
| Age of Mother <15 15-17 18-19 20-24 25-29 | Fe Births 0 1 23 64 64 | <.5 ertility Rate 2 78 117 134 | (under 2,500 gm) Births Percent | 1st Tr Births * 19 55 57 | imester Percent 83 86 89 | 2nd Trimester Births Percent | Other/ Births : 1 | Percent 4 3 2 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Fe Births 0 1 23 64 64 38 | <.5 ertility Rate 2 78 117 134 66 | (under 2,500 gm) Births Percent | 1st Tr Births | imester Percent 83 86 89 87 | 2nd Trimester Births Percent * . 3 13 7 11 6 9 4 11 | Other/ Births 1 2 | Percent 4 3 2 3 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Fe Births 0 1 23 64 64 38 24 | <.5 ertility Rate 2 78 117 134 66 37 | (under 2,500 gm) Births Percent | 1st Tr Births * 19 55 57 33 17 | imester Percent 83 86 89 | 2nd Trimester Births Percent | Other/ Births 1 2 | Percent 4 3 2 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ | Fe Births 0 1 23 64 64 38 24 2 | <.5 ertility Rate 2 78 117 134 66 37 2 | (under 2,500 gm) Births Percent | 1st Tr Births | imester Percent 83 86 89 87 | 2nd Trimester Births Percent * . 3 13 7 11 6 9 4 11 | Other/ Births 1 2 | Percent 4 3 2 3 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Fe Births 0 1 23 64 64 38 24 | <.5 ertility Rate 2 78 117 134 66 37 | (under 2,500 gm) Births Percent | 1st Tr Births * 19 55 57 33 17 | imester Percent 83 86 89 87 | 2nd Trimester Births Percent * . 3 13 7 11 6 9 4 11 | Other/ Births 1 2 | Percent 4 3 2 3 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ | Fe Births 0 1 23 64 64 38 24 2 | <.5 ertility Rate 2 78 117 134 66 37 2 | (under 2,500 gm) Births Percent | 1st Tr Births * 19 55 57 33 17 * | imester Percent | 2nd Trimester Births Percent * . 3 13 7 11 6 9 4 11 | Other/Births * 1 2 1 1 1 * | Percent |

| MORBIDITY | | | | MO | RTALITY | | | |
|--|-----------------------|---|---------------------------------------|---|--|--------------------------------|--------------------|--|
| REPORTED CASES OF SELECTED DISEASES* | | Note: Death rates (neonatal, and Perinatal and | except ir I postneor I fetal de | nfant) are natal death eath rates | per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2 | Infant, e births. s plus | | |
| Disease N Campylobacter Enteritis Giardiasis Hepatitis Type A | lumber 6 5 0 | TOTAL DEATHS Crude Death Ra | ite | 244 1,152 | Selected Underlying Cause Heart Disease (total) Ischemic heart diseas | Deaths 60 e 38 | Rate 283 179 | |
| Hepatitis Type B** Hepatitis NANB/C Legionnaire's | <5 8 0 | Age 1 - 4 5 - 14 | • | Rate | Cancer (total) Trachea/Bronchus/Lung | 74 20 | 349 94 | |
| Lyme Measles | 0 0 0 | 15-19 20-34 | 2 | | Colorectal Female Breast Cerebrovascular Diseas | e 22 | .* 104 | |
| Meningitis, Aseptic Meningitis, Bacterial Mumps | 0 | 35-54 55-64 65-74 | 17 22 39 | 1,983 | Lower Resp. Disease Pneumonia & Influenza Accidents | 4 14 | • | |
| Pertussis Salmonellosis Shigellosis | <5 8 0 | 75-84 85+ | 76 87 | 5,267 14,010 | Motor vehicle Diabetes Infect./Parasitic Dis. | | | |
| Tuberculosis * 2004 provisional data. | 0 | Infant Mortality | Deaths | Rate | Suicide * Based on female popu | 4 | • | |
| ** Includes all positive HBsAg test results. | | Mortality Total Infant Neonatal Postneonatal Unknown | i | | ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU | | | |
| Sexually Transmitted Disease Chlamydia Trachomatis | 30 | Unknown Race of Mother | - | • | Alcohol | 5 50 | 236 | |
| Genital Herpes Gonorrhea | <5 8 | White Black | 1 | | Alcohol Tobacco Use Other Drugs | 2 | | |
| Syphilis | 0 | Hispanic Laotian/Hmong Other/Unknown | | | MOTOR VEHICL | E CRASHES | | |
| IMMUNIZATIONS | | Birthweight | | | Note: These data are based on location of crash, not on residence. | | | |
| Children in Grades K-12 by Compliance Level | | <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | | | Type of Motor Vehicle Crash | Persons F Injured | Persons Killed | |
| Compliant 3,7 Non-compliant Percent Compliant 99 | 707 22) . 4 | Unknown Perinatal | : | • | Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: | 168 25 | 3 2 | |
| | - | Mortality Total Perinatal | Deaths 1 | Rate | For OWI For Speeding Motorcyclist | 19 13 | 1 0 0 | |
| | | Neonatal Fetal | i | | Bicyclist Pedestrian | 2 4 | 0 | |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita | DISEASE / AGE GROUP | | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita |
|--|-----------|---------------------|---------------------------|----------|-------------------------|---------------------------------------|------------------|---------------------|---------------------------|-----------|-------------------------|
| Injury-Related: | All | | | | | Alcohol-Related | d | | | | |
| Ťotál | 219 | 10.3 | 5.5 | \$21,442 | \$222 | Total | | 2.5 | 4.0 | \$4,097 | \$10 |
| <18 | 14 | | | | | 18-44 | 31 | 4.5 | | | \$14 |
| 18-44 | 29 | 4.3 | 6.0 | \$26,006 | \$111 | 45-64 | 17 | | | . , | |
| 45-64 | 69 | 12.0 | 5.6 | \$21,589 | \$260 | Pneumonia and 1 | [nfluenza | | | | |
| 65+ | 107 | 26.5 | 5.6 | \$20,643 | \$548 | Total | 70 | 3.3 | 5.1 | \$8,914 | \$29 |
| Injury: Hip Fr | acture | | | • | | <18 | 6 | | | | |
| Total | 37 | 1.7 | 5.7 | | \$36 | 45 - 64 65+ | 9 | | | | |
| 65+ | 35 | 8.7 | 5.7 | \$21,061 | \$183 | 65+ | 53 | 13.1 | 5.6 | \$10,051 | \$132 |
| Injury: Poisor | ings | | | ŕ | | Cerebrovascular | Disease | | | • | |
| Total | 15 | | | | | Total | 76 | 3.6 | 4.2 | \$15,255 | \$55 |
| 18-44 | 8 | | | | | 45-64 | 13 | | | | |
| | | | | | | 65+ | 62 | 15.4 | | \$12,687 | \$195 |
| Psychiatric | | | | | | Chronic Obstruc | ctive Pulm | | | | |
| Total | 87 | 4.1 | 7.0 | \$6,758 | \$28 | Total | 47 | 2.2 | 3.7 | \$7,262 | \$16 |
| <18 | 12 | | | | | <18 | 3 | | | | |
| 18-44 | 35 | 5.1 | 2.8 | \$2,767 | \$14 | 18-44 | 4 | | | | |
| 45-64 | 31 | 5.4 | 9.4 | \$10,609 | \$57 | 45-64 | 10 | | | | |
| 65+ | 9 | | | | | Total <18 18-44 45-64 65+ | 30 | 7.4 | 4.5 | \$8,367 | \$62 |
| | | | | | | Drug-Related | | | | | |
| Coronary Heart [| isease | | | | | Total | 21 | 1.0 | 9.3 | \$8,917 | \$9 |
| Total | 217 | 10.2 | 2.7 | \$21,968 | \$225 | 18-44 | 8 | | | | • |
| 45-64 | 76 | 13.2 | | \$21,870 | \$290 | | | | | | |
| 65+ | 132 | 32.7 | 3.1 | \$22,203 | \$727 | Total Hospitali | izations | | | | |
| Malignant Neopla Total 18-44 45-64 65+ | | | | | | Total | 2,638 | 124.5 | 4.1 | \$13,047 | \$1,624 |
| Malignant Neopla | ısms (Caı | ncers): | All | | | <18 | ² 319 | 69.4 | 3.2 | \$5,388 | \$374 |
| Total | 126 | 5.9 | 6.0 | \$19,762 | \$118 | 18-44 | 556 | 81.5 | 3.0 | \$8,585 | \$700 |
| 18-44 | 5 | | | | | 45-64 | 624 | 108.7 | 4.3 | \$16,429 | \$1,787 |
| 45-64 | 39 | 6.8 | 4.8 | \$18,487 | \$126 | 65+ | 1,139 | 282.6 | 4.8 | \$15,517 | \$4,384 |
| 65+ | _ 81 | 20.1 | | \$20,921 | \$420 | | | | | | |
| Meobrasilis: Lell | INTE DI C | ασι (ια | | | | PF | | | | | |
| | 4 | | | | • | Total | 288 | 13.6 | 4.2 | \$9,533 | \$130 |
| Neoplasms: Col | | L | | | | <18 | 13 | 2.8 | 2.1 | \$3,106 | \$9 |
| Total | 12 | | | • | • | 18-44 | 28 | 4.1 | | \$10,958 | \$45 |
| . 65+ | 9 | | | • | • | 45-64 | 55 | 9.6 | | \$11,005 | \$105 |
| Neoplasms: Lur Total | ig 15 | | | • | | 65+ | 192 | 47.6 | 4.5 | \$9,339 | \$445 |
| Diabetes | | | | | | * Hospitalizations | s for cond | itions | where t | imely and | effecti |
| Total | 28 | 1.3 | 5.3 | \$17,682 | \$23 | ambulatory care ca | an reduce | the lik | kelihood | of hospi | talizati |
| 65+ | 9 | | | - | | i - | | | | • | |